

RMGT 526GX-H UV 6-Color + Coater



PFS is your Western USA distributor for RYOBI MHI / RMGT and this offering is for a "Like New" condition RMGT 526GX-H UV 6-color 20" press + coater (2016). This is an in-plant press, presently under power, under maintenance with PFS, and available for immediate shipment. Local installation, domestic or international shipping, etc. is all available, please contact us for details.

MACHINE SPECIFICS

Model	RMGT 520GX-6+IR+CUV+CC+SHP
Year	2016 (installed new in 2017)
Serial	6003
Impressions	6.3M (approx.)
Includes	Pictured items
FOB	Las Vegas, NV
Price	\$650,000
Dealer	Call

RMGT 526GX-H 6-Color 20" UV + AQ/UV Coating

The 520GX includes an array of high-end technologies, offering high-speed printing at up to 15,000 SPH and numerous automation and labor-saving devices. The 520GX can easily handle a wide range of printing work, from catalogs and cardboard packages to envelopes and postcards.

FEATURES

- Satellite-type cylinder arrangement consists of a double-diameter impression cylinder and double-diameter and triple-diameter transfer cylinders
- SPC semiautomatic plate changer ensures fast, accurate plate changing (standard equipment)
- Vacuum feeder board for easier setting of the brush and runner wheels and faster changing of the sheet size Prints laterally fed postcards and envelopes
- Fully automatic convertible perfecting device (520GXP)
- 5-color and 6-color printing and inline varnish coating for high value-added printing

SPECIFICATIONS

Model	GX (straight press)	GXP (convertible perfector)
Max. printing speed		15,000 S.P.H.
Max. sheet size		375 x 520 mm
Min. sheet size	105 x 100 mm	Straight printing: 105 x 100 mm Perfecting: 150 x 100 mm
Max. printing area		350 x 505 mm
Paper thickness	0.04 - 0.6 mm	Straight printing: 0.04 - 0.6 mm Perfecting: 0.04 - 0.4 mm

Design and specifications are subject to change without notice.

This data was obtained under RMGT's standard test conditions. Results will vary according to the operating conditions.

INCLUDED

- All Standard Options Included Plus:
- Ultrasonic type double sheet detector
- PPC III – (Ink Volume Setter)
- Special feeding kit - for plastic
- Nonstop delivery device
- Ink oscillating form roller (UV)
- Oscillating bridge roller
- Ryobi-matic-D
- PDS-E SpectroJet
- Chamber type doctor blade coating system (UV & AQ)
- Powder spray device (Grafix)
- Three UV Interdecks for placement at 2/4/6
- UV curing unit at delivery (2 Lamps)
- IR dryer with air knives at delivery
- Ink roller temperature control system
- IPC Film for Each Transfer
- Water Cooled Plate in Coater


Manufacturer's web site

<http://www.ryobi-group.co.jp/graphic/english/>

Product literature

http://www.rmgtech.com/library/literature/Presses-A3-Plus/RMGT_5.pdf

Pictures



CONTACT

Robert Ordway, Equipment Consultant & Partner

robert.ordway@pfsgraphics.com

714-227-1288

Kian Hemmen, RMGT Western Regional Sales Manager & Partner

kian.hemmen@pfsgraphics.com

760-717-1000